



NCLEX ARCHER PHARMACOLOGY PRACTICE TEST

Study for the NCLEX Archer Pharmacology Test. Prepare with a variety of multiple-choice questions, each with detailed hints and explanations. Get set to ace your exam



QUIZZPREP

Visit us here: <https://quizzprep.com/>

1. What 3 drugs have a narrow therapeutic index?

- A) Penicillin, amoxicillin, and cephalexin
- B) Ibuprofen, acetaminophen, and aspirin
- C) Digoxin, lithium, and warfarin
- D) Lisinopril, amlodipine, and metoprolol

Correct Answer: C

2. What meds do we need to avoid grapefruit juice with?

- A) Nifedipine, verapamil, statins, midazolam, and SSRIs
- B) Metformin, insulin, and glipizide
- C) Penicillin, amoxicillin, and cephalexin
- D) Ibuprofen, naproxen, and celecoxib

Correct Answer: A

3. What do we need to be concerned about with ondansetron and haloperidol?

- A) Severe respiratory depression
- B) Acute renal failure
- C) Prolonged QT interval
- D) Significant hypoglycemia

Correct Answer: C

4. What are we concerned about with acetaminophen?

- A) Monitoring kidney function, nephrotoxic with long-term use
- B) Checking liver enzymes, hepatotoxic with excess use and alcohol
- C) Assessing for gastrointestinal bleeding and ulceration
- D) Monitoring for signs of severe immunosuppression

Correct Answer: B

5. What drug do we need to avoid when taking ACE inhibitors?

Visit us here: <https://quizzprep.com/>

- A) Beta-blockers due to the risk of severe bradycardia
- B) Calcium channel blockers due to the risk of peripheral edema
- C) Potassium-sparing diuretics (spironolactone) due to the risk for hyperkalemia
- D) Loop diuretics due to the risk of profound hyponatremia

Correct Answer: C